



Proof of RCM Compliance

Cert.No.: POC20090902

Date of issue: 3-Sep-2020

Certificate Holder: Lifud Technology Co., Ltd.
Address: (1/F-3/F, Building F, Kutto Industrial Park), 1/F-3/F, Building B, No.26 Xinhe Road, Xinqiao Community, Xinqiao Street, Bao'an District, 518104 Shenzhen, Guangdong, China

Product Description: LED Driver
Brand/Trade Name: LIFUD
Model Number: LF-GLD025YE0250H , Refer to model list

Electrical Ratings: Input: Refer to model list
Output: Refer to model list

AusRCM Compliance certifies that the Electrical/Electronic Article(s) as described above meets the requirements of the standard(s) listed below;

Compliance for:	Evidenced by:
ACMA mandated standards –eg.EMC	Test report and Declaration of Conformity EN 55015:2013/A1:2015;EN 61000-3-2:2014;EN 61000-3-3:2013;EN 61547:2009
Electrical Safety Standard(s):	Test report and Certificate of Suitability AS 61347.2.13: 2018 GMA-508117 Date of Expire: 2-Sep-2025
EESS- National Equipment Database registration	Checked above model number(s) being registered as LEVEL 1 product on https://equipment.erac.gov.au/Registration/EquipmentSearch.aspx?atn=public

As of above, the Applicable Compliance mark shall be:



On behalf of AusRCM Compliance

Suite 206, 585 Little Collins Street, Melbourne ,VIC, 3000, Australia.



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD025YE0250H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 250mA, 10.50W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0255H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 255mA, 10.71W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0260H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 260mA, 10.92W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0265H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 265mA, 11.13W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0270H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 270mA, 11.34W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0275H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 275mA, 11.55W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0280H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 280mA, 11.76W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0285H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 285mA, 11.97W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0290H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 290mA, 12.18W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0295H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 295mA, 12.39W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0300H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 300mA, 12.60W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0305H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 305mA, 12.81W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0310H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 310mA, 13.02W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD025YE0315H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 315mA, 13.23W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0320H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 320mA, 13.44W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0325H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 325mA, 13.65W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0330H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 330mA, 13.86W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0335H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 335mA, 14.07W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0340H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 340mA, 14.28W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0345H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 345mA, 14.49W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0350H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 350mA, 14.70W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0355H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 355mA, 14.91W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0360H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 360mA, 15.12W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0365H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 365mA, 15.33W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0370H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 370mA, 15.54W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0375H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 375mA, 15.75W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD025YE0380H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 380mA, 15.96W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0385H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 385mA, 16.17W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0390H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 390mA, 16.38W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0395H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 395mA, 16.59W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0400H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 400mA, 16.80W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0405H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 405mA, 17.01W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0410H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 410mA, 17.22W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0415H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 415mA, 17.43W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0420H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 420mA, 17.64W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0425H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 425mA, 17.85W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0430H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 430mA, 18.06W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0435H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 435mA, 18.27W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0440H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 440mA, 18.48W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD025YE0445H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 445mA, 18.69W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0450H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 450mA, 18.90W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0455H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 455mA, 19.11W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0460H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 460mA, 19.32W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0465H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 465mA, 19.53W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0470H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 470mA, 19.74W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0475H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 475mA, 19.95W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0480H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 480mA, 20.16W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0485H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 485mA, 20.37W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0490H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 490mA, 20.58W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0495H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 495mA, 20.79W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0500H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 500mA, 21.00W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0505H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 505mA, 21.21W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD025YE0510H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 510mA, 21.42W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0515H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 515mA, 21.63W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0520H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 520mA, 21.84W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0525H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 525mA, 22.05WW, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0530H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 530mA, 22.26W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0535H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 535mA, 22.47W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0540H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 540mA, 22.68W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0545H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 545mA, 22.89WW, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD025YE0550H	Input: 220-240VAC, 50/60Hz, Max.0.15A Output: 25-42Vdc, 550mA, 23.10W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD035YE0600H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 600mA, 25.20W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0605H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 605mA, 25.41W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0610H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 610mA, 25.62W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0615H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 615mA, 25.83W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD035YE0620H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 620mA, 26.04W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0625H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 625mA, 26.25W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0630H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 630mA, 26.46W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0635H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 635mA, 26.67W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0640H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 640mA, 26.88W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0645H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 645mA, 27.09W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0650H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 650mA, 27.30W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0655H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 655mA, 27.51W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0660H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 660mA, 27.72W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0665H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 665mA, 27.93W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0670H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 670mA, 28.14W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0675H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 675mA, 28.35W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0680H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 680mA, 28.56W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD035YE0685H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 685mA, 28.77W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0690H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 690mA, 28.98W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0695H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 695mA, 29.19W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0700H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 700mA, 29.40W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0705H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 705mA, 29.61W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0710H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 710mA, 29.82W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0715H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 715mA, 30.03W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0720H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 720mA, 30.24W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0725H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 725mA, 30.45W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0730H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 730mA, 30.66W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0735H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 735mA, 30.87W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0740H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 740mA, 31.08W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0745H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 745mA, 31.29W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD035YE0750H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 750mA, 31.50W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0755H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 755mA, 31.71W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0760H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 760mA, 31.92W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0765H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 765mA, 32.13W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0770H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 770mA, 32.34W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0775H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 775mA, 32.55W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0780H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 780mA, 32.76W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0785H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 785mA, 32.97W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0790H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 790mA, 33.18W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0795H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 795mA, 33.39W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD035YE0800H	Input: 220-240VAC, 50/60Hz, Max.0.2A Output: 25-42Vdc, 800mA, 33.60W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0850H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 850mA, 35.70W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0855H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 855mA, 35.91W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD045YE0860H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 860mA, 36.12W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0865H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 865mA, 36.33W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0870H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 870mA, 36.54W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0875H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 875mA, 36.75W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0880H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 880mA, 36.96W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0885H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 885mA, 37.17W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0890H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 890mA, 37.38W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0895H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 895mA, 37.59W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0900H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 900mA, 37.80W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0905H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 905mA, 38.01W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0910H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 910mA, 38.22W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0915H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 915mA, 38.43W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0920H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 920mA, 38.64W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD045YE0925H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 925mA, 38.85W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0930H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 930mA, 39.06W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0935H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 935mA, 39.27W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0940H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 940mA, 39.48W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0945H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 945mA, 39.69W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0950H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 950mA, 39.90W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0955H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 955mA, 40.11W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0960H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 960mA, 40.32W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0965H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 965mA, 40.53W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0970H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 970mA, 40.74W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0975H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 975mA, 40.95W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0980H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 980mA, 41.16W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0985H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 985mA, 41.37W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD045YE0990H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 990mA, 41.58W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE0995H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 995mA, 41.79W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE1000H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 1000mA, 42.00W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE1005H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 1005mA, 42.21W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE1010H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 1010mA, 42.42W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE1015H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 1015mA, 42.63W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE1020H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 1020mA, 42.84W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE1025H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 1025mA, 43.05W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE1030H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 1030mA, 43.26W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE1035H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 1035mA, 43.47W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE1040H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 1040mA, 43.68W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE1045H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 1045mA, 43.89W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD045YE1050H	Input: 220-240VAC, 50/60Hz, Max.0.3A Output: 25-42Vdc, 1050mA, 44.10W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD055YE1100H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1100, 46.20W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1105H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1105, 46.41W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1110H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1110, 46.62W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1115H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1115, 46.83W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1120H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1120, 47.04W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1125H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1125, 47.25W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1130H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1130, 47.46W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1135H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1135, 47.67W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1140H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1140, 47.88W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1145H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1145, 48.09W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1150H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1150, 48.30W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1155H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1155, 48.51W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1160H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1160, 48.72W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD055YE1165H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1165, 48.93W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1170H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1170, 49.14W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1175H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1175, 49.35W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1180H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1180, 49.56W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1185H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1185, 49.77W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1190H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1190, 49.98W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1195H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1195, 50.19W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1200H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1200, 50.40W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1205H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1205, 50.61W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1210H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1210, 50.82W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1215H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1215, 51.03W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1220H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1220, 51.24W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1225H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1225, 51.45W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD055YE1230H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1230, 51.66W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1235H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1235, 51.87W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1240H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1240, 52.08W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1245H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1245, 52.29W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1250H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1250, 52.50W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1255H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1255, 52.71W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1260H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1260, 52.92W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1265H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1265, 53.13W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1270H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1270, 53.34W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1275H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1275, 53.55W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1280H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1280, 53.76W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1285H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1285, 53.97W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1290H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1290, 54.18W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD055YE1295H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1295, 54.39W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD055YE1300H	Input: 220-240VAC, 50/60Hz, Max.0.35A Output: 25-42Vdc, 1300, 54.60W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD065YE1300H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1300mA, 54.60W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD065YE1305H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1305mA, 54.81W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD065YE1310H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1310mA, 55.02W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD065YE1315H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1315mA, 55.23W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD065YE1320H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1320mA, 55.44W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD065YE1325H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1325mA, 55.65W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD065YE1330H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1330mA, 55.86W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD065YE1335H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1335mA, 56.07W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD065YE1340H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1340mA, 56.28W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD065YE1345H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1345mA, 56.49W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,
LF-GLD065YE1350H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1350mA, 56.70W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD065YE1355H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1355mA, 56.91W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1360H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1360mA, 57.12W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1365H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1365mA, 57.33W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1370H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1370mA, 57.54W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1375H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1375mA, 57.75W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1380H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1380mA, 57.96W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1385H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1385mA, 58.17W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1390H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1390mA, 58.38W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1395H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1395mA, 58.59W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1400H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1400mA, 58.80W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1405H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1405mA, 59.01W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1410H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1410mA, 59.22W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1415H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1415mA, 59.43W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD065YE1420H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1420mA, 59.64W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1425H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1425mA, 59.85W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1430H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1430mA, 60.06W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1435H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1435mA, 60.27W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1440H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1440mA, 60.48W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1445H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1445mA, 60.69W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1450H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1450mA, 60.90W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1455H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1455mA, 61.11W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1460H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1460mA, 61.32W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1465H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1465mA, 61.53W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1470H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1470mA, 61.74W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1475H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1475mA, 61.95W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in
LF-GLD065YE1480H	Input: 220-240VAC, 50/60HZ, Max.0.40A Output: 25-42Vdc, 1480mA, 62.16W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV,Built-in



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD065YE1485H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1485mA, 62.37W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD065YE1490H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1490mA, 62.58W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD065YE1495H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1495mA, 62.79W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD065YE1500H	Input: 220-240VAC, 50/60Hz, Max.0.40A Output: 25-42Vdc, 1500mA, 63.00W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in
LF-GLD080YE1550H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1550mA, 62.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1555H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1555mA, 62.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1560H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1560mA, 62.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1565H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1565mA, 62.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1570H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1570mA, 62.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1575H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1575mA, 63.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1580H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1580mA, 63.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1585H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1585mA, 63.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1590H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1590mA, 63.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD080YE1595H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1595mA, 63.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1600H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1600mA, 64.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1605H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1605mA, 64.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1610H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1610mA, 64.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1615H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1615mA, 64.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1620H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1620mA, 64.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1625H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1625mA, 65.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1630H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1630mA, 65.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1635H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1635mA, 65.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1640H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1640mA, 65.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1645H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1645mA, 65.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1650H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1650mA, 66.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1655H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1655mA, 66.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD080YE1660H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1660mA, 66.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1665H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1665mA, 66.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1670H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1670mA, 66.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1675H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1675mA, 67.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1680H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1680mA, 67.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1685H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1685mA, 67.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1690H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1690mA, 67.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1695H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1695mA, 67.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1700H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1700mA, 68.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1705H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1705mA, 68.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1710H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1710mA, 68.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1715H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1715mA, 68.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1720H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1720mA, 68.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD080YE1725H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1725mA, 69.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1730H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1730mA, 69.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1735H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1735mA, 69.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1740H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1740mA, 69.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1745H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1745mA, 69.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1750H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1750mA, 70.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1755H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1755mA, 70.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1760H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1760mA, 70.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1765H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1765mA, 70.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1770H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1770mA, 70.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1775H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1775mA, 71.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1780H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1780mA, 71.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1785H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1785mA, 71.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD080YE1790H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1790mA, 71.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1795H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1795mA, 71.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1800H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1800mA, 72.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1805H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1805mA, 72.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1810H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1810mA, 72.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1815H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1815mA, 72.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1820H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1820mA, 72.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1825H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1825mA, 73.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1830H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1830mA, 73.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1835H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1835mA, 73.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1840H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1840mA, 73.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1845H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1845mA, 73.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1850H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1850mA, 74.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD080YE1855H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1855mA, 74.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1860H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1860mA, 74.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1865H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1865mA, 74.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1870H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1870mA, 74.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1875H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1875mA, 75.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1880H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1880mA, 75.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1885H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1885mA, 75.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1890H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1890mA, 75.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1895H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1895mA, 75.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1900H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1900mA, 76.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1905H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1905mA, 76.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1910H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1910mA, 76.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1915H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1915mA, 76.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD080YE1920H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1920mA, 76.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1925H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1925mA, 77.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1930H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1930mA, 77.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1935H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1935mA, 77.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1940H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1940mA, 77.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1945H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1945mA, 77.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1950H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1950mA, 78.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1955H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1955mA, 78.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1960H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1960mA, 78.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1965H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1965mA, 78.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1970H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1970mA, 78.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1975H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1975mA, 79.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1980H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1980mA, 79.2W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,



Proof of RCM Compliance

Cert.No.: POC20090902

Appendix -Model list

Registered Models	Rating
LF-GLD080YE1985H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1985mA, 79.4W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1990H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1990mA, 79.6W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE1995H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 1995mA, 79.8W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,
LF-GLD080YE2000H	Input: 220-240VAC, 50/60Hz, Max.0.50A Output: 25-40Vdc, 2000mA, 80.0W, Uout(VDC): 55Vdc ta: 50°C, tc: 90°C, SELV Built-in ,

Generic Model	Rating
LF-GLD025YExxxxy (xxxx='0250'-'2000';y='A'-'Z')	Input: 220-240VAC; 50/60Hz; Output: 25-42Vdc, 250-550mA,10.5-23.1W, Uout(VDC): 55Vdc
LF-GLD035YExxxxy (xxxx='0250'-'2000';y='A'-'Z')	Input: 220-240VAC; 50/60Hz; Output: 25-42Vdc, 600-800mA, 25.2-33.6W, Uout(VDC): 55Vdc
LF-GLD045YExxxxy (xxxx='0250'-'2000';y='A'-'Z')	Input: 220-240VAC; 50/60Hz; Output: 25-42Vdc, 850-1050mA, 35.7-44.1W, Uout(VDC): 55Vdc
LF-GLD055YExxxxy (xxxx='0250'-'2000';y='A'-'Z')	Input: 220-240VAC; 50/60Hz; Output: 25-42Vdc, 1100-1300mA, 46.2-54.6W, Uout(VDC): 55Vdc
LF-GLD065YExxxxy (xxxx='0250'-'2000';y='A'-'Z')	Input: 220-240VAC; 50/60Hz; Output: 25-42Vdc, 1300-1500mA, 54.6-63.0W, Uout(VDC): 55Vdc
LF-GLD080YExxxxy (xxxx='0250'-'2000';y='A'-'Z')	Input: 220-240VAC; 50/60Hz; Output: 25-42Vdc, 1550-2000mA, 62.0-80.0W, Uout(VDC): 55Vdc