


# 3DPAM/5DPAM 系列注聚合物泵

## SERIES OF 3DPAM/5DPAM POLYMER-INJECTION HIGH PUMPS



### 概 述

3DPAM/5DPAM系列卧式三/五柱塞复式注聚合物泵，是根据油田注聚合物的特点要求设计的，其降解、剪切速率均符合要求。

本系列泵设计先进，制造精良，具有体积小、重量轻、性能好、效率高、质量可靠、造型美观、操作维修方便、移动轻便灵活等优点。

本系列泵按照GB/T9234-2008《机动往复泵》和JB/TQ510《机动往复泵制造与装配》要求制造，质量符合优等品条件。

### BRIEF

Series of 3DPAM/5DPAM horizontal reciprocating pumps used for polymer injection are designed according to the special requirements of oil fields in polymer injection.

Being of advanced design and excellent workmanship, the series of pumps own advantages if small volume, light weight, good performance, high efficiency, beautiful appearance, top quality, convenient operation and maintenance, easy moving, etc.

The Series of pump are manufactured in accordance with the technical qualifications of GB/T9234-2008 Power Reciprocating Pump and JB/TQ510 The Requirements of Manufacture and Assemblage of Power Reciprocating Pump. The series of products fulfil top quality requirements.

### 3DPAM/5DPAM系列注聚合物泵的型号编制说明：

#### Illustration for compiling Polymer Injection 3DPAM/5DPAM



## 3DPAM 系列注聚泵主要技术参数

型号 Model	进口压力 Suction Pressure Mpa	排出压力 Discharge Pressure Mpa	额定排量 Capacity M3/h	电机功率 Motor Power Kw	外形尺寸 长×宽×高 Measurement L×W×H mm	质量 weight kg
3DPAM-0.2/32-3	0.05 - 1.0	32	0.20	3	1265x 620x730	350
3DPAM-0.25/32-4			0.25	4		
3DPAM-0.35/32-5.5			0.35	5.5		
3DPAM-0.5/32-7.5			0.50	7.5		
3DPAM-0.25/25-3		25	0.25	3		
3DPAM-0.35/25-4			0.35	4		
3DPAM-0.45/25-5.5			0.45	5.5		
3DPAM-0.60/25-7.5			0.60	7.5		
3DPAM-0.30/20-3		20	0.30	3		
3DPAM-0.45/20-4			0.45	4		
3DPAM-0.60/20-5.5			0.60	5.5		
3DPAM-0.80/20-7.5			0.80	7.5		
3DPAM-0.40/16-3		16	0.40	3		
3DPAM-0.60/16-4			0.60	4		
3DPAM-0.80/16-5.5			0.80	5.5		
3DPAM-1.10/16-7.5			1.10	7.5		
3DPAM-0.50/12.5-3		12.5	0.50	3		
3DPAM-0.70/12.5-4			0.70	4		
3DPAM-0.95/12.5-5.5			0.95	5.5		
3DPAM-1.30/12.5-7.5			1.30	7.5		
3DPAM-0.70/10-3		10	0.70	3		
3DPAM-0.90/10-4			0.90	4		
3DPAM-1.20/10-5.5			1.20	5.5		
3DPAM-1.60/10-7.5			1.60	7.5		
3DPAM-0.80/8-3		8	0.80	3		
3DPAM-1.10/8-4			1.10	4		
3DPAM-1.50/8-5.5			1.50	5.5		
3DPAM-2.00/8-7.5			2.00	7.5		

型号 Model	进口压力 Suction Pressure Mpa	排出压力 Discharge Pressure Mpa	额定排量 Capacity M3/h	电机功率 Motor Power Kw	外形尺寸 长×宽×高 Measurement L×W×H mm	质量 weight kg
3DPAM-0.60/32-11	0.05 - 1.0	32	0.60	11	1658x 720x845	520
3DPAM-0.80/32-11			0.80	11		
3DPAM-0.90/32-15			0.90	15		
3DPAM-1.00/32-15			1.00	15		
3DPAM-0.80/25-11		25	0.80	11		
3DPAM-1.00/25-11			1.00	11		
3DPAM-1.10/25-15			1.10	15		
3DPAM-1.30/25-15			1.30	15		
3DPAM-0.90/20-11		20	0.90	11		
3DPAM-1.20/20-11			1.20	11		
3DPAM-1.30/20-15			1.30	15		
3DPAM-1.60/20-15			1.60	15		
3DPAM-1.20/16-11		16	1.20	11		
3DPAM-1.60/16-11			1.60	11		
3DPAM-1.70/16-15			1.70	15		
3DPAM-2.00/16-15			2.00	15		
3DPAM-1.40/12.5-11		12.5	1.40	11		
3DPAM-2.00/12.5-11			2.00	11		
3DPAM-2.10/12.5-15			2.10	15		
3DPAM-2.60/12.5-15			2.60	15		
3DPAM-1.80/10-11		10	1.80	11		
3DPAM-2.60/10-11			2.60	11		
3DPAM-2.70/10-15			2.70	15		
3DPAM-3.50/10-15			3.50	15		
3DPAM-2.20/8-11		8	2.20	11		
3DPAM-3.20/8-11			3.20	11		
3DPAM-3.30/8-15			3.30	15		
3DPAM-4.00/8-15			4.00	15		

## 3DPAM 系列注聚泵主要技术参数

型号 Model	进口压力 Suction Pressure Mpa	排出压力 Discharge Pressure Mpa	额定排量 Capacity M3/h	电机功率 Motor Power Kw	外形尺寸 长×宽×高 Measurement L×W×H mm	质量 weight kg
3DPAM-1.1/32-18.5	0.05 -1.0	32	1.1	18.5	1850x 800x986	750
3DPAM-1.3/32-18.5			1.3	18.5		
3DPAM-1.4/32-22			1.4	22		
3DPAM-1.6/32-22			1.6	22		
3DPAM-1.4/25-18.5		25	1.4	18.5		
3DPAM-1.7/25-18.5			1.7	18.5		
3DPAM-1.8/25-22			1.8	22		
3DPAM-2.0/25-22			2.0	22		
3DPAM-1.8/20-18.5		20	1.8	18.5		
3DPAM-2.1/20-18.5			2.1	18.5		
3DPAM-2.2/20-22			2.2	22		
3DPAM-2.5/20-22			2.5	22		
3DPAM-2.2/16-18.5		16	2.2	18.5		
3DPAM-2.6/16-18.5			2.6	18.5		
3DPAM-2.7/16-22			2.7	22		
3DPAM-3.1/16-22			3.1	22		
3DPAM-2.8/12.5-18.5		12.5	2.8	18.5		
3DPAM-3.4/12.5-18.5			3.4	18.5		
3DPAM-3.5/12.5-22			3.5	22		
3DPAM-4.0/12.5-22			4.0	22		
3DPAM-3.6/10-18.5		10	3.6	18.5		
3DPAM-4.3/10-18.5			4.3	18.5		
3DPAM-4.4/10-22			4.4	22		
3DPAM-5.0/10-22			5.0	22		
3DPAM-4.3/8-18.5		8	4.3	18.5		
3DPAM-5.3/8-18.5			5.3	18.5		
3DPAM-5.4/8-22			5.4	22		
3DPAM-6.3/8-22			5.3	22		

型号 Model	进口压力 Suction Pressure Mpa	排出压力 Discharge Pressure Mpa	额定排量 Capacity M3/h	电机功率 Motor Power Kw	外形尺寸 长×宽×高 Measurement L×W×H mm	质量 weight kg				
3DPAM-1.7/32-30	0.05 -1.0	32	1.7	30	2055x 830x986	1200				
3DPAM-2.1/32-30			2.1	30						
3DPAM-2.1/25-30		25	2.1	30						
3DPAM-2.7/25-30			2.7	30						
3DPAM-2.6/20-30		20	2.6	30						
3DPAM-3.3/20-30			3.3	30						
3DPAM-3.2/16-30		16	3.2	30						
3DPAM-4/16-30			4.0	30						
3DPAM-4.2/12.5-30			12.5	4.2			30			
3DPAM-5.2/12.5-30				5.2			30			
3DPAM-5.2/10-30		10	5.2	30						
3DPAM-6.5/10-30			6.5	30						
3DPAM-6.5/8-30		8	6.5	30						
3DPAM-8.2/8-30			8.2	30						
3DPAM-2.6/32-37		0.05 -1.0	32	2.6			37	2485x 1095x 1115	1800	
3DPAM-3.2/32-45				3.2			45			
3DPAM-3.4/25-37			25	3.4			37			
3DPAM-4.0/25-45				4.0			45			
3DPAM-4.2/20-37			20	4.2			37			
3DPAM-5.0/20-45				5.0			45			
3DPAM-5.3/16-37			16	5.3			37			
3DPAM-6.3/16-45				6.3			45			
3DPAM-6.8/12.5-37				12.5			6.8			37
3DPAM-8.0/12.5-45							8.0			45
3DPAM-8.5/10-37			10	8.5			37			
3DPAM-10/10-45				10			45			
3DPAM-10.6/8-37			8	10.6			37			
3DPAM-12.5/8-45				12.5			45			

## 3DPAM 系列注聚泵主要技术参数

型号 Model	进口压力 Suction Pressure Mpa	排出压力 Discharge Pressure Mpa	额定排量 Capacity M3/h	电机功率 Motor Power Kw	外形尺寸 长×宽×高 Measurement L×W×H mm	质量 weight kg			
3DPAM-3.2/32-45	0.05 -1.0	32	3.2	45	2560x 1185x 1092	2300			
3DPAM-4.0/32-55			4.0	55					
3DPAM-4.0/25-45		25	4.0	45					
3DPAM-5.0/25-55			5.0	55					
3DPAM-5.0/20-45		20	5.0	45					
3DPAM-6.3/20-55			6.3	55					
3DPAM-6.3/16-45		16	6.3	45					
3DPAM-8.0/16-55			8.0	55					
3DPAM-8.0/12.5-45		12.5	8.0	45					
3DPAM-10/12.5-55			10	55					
3DPAM-10/10-45		10	10	45					
3DPAM-12.5/10-55			12.5	55					
3DPAM-12.5/8-45		8	12.5	45					
3DPAM-16/8-55			16	55					
3DPAM-4/32-55		0.05 -1.0	32	4			55	2485x 1095x 1115	2600
3DPAM-5/32-75				5			75		
3DPAM-5/25-55	25		5	55					
3DPAM-6.3/25-75			6.3	75					
3DPAM-6.3/20-55	20		6.3	55					
3DPAM-8/20-75			8	75					
3DPAM-8/16-55	16		8	55					
3DPAM-10/16-75			10	75					
3DPAM-10/12.5-55	12.5		10	55					
3DPAM-12.5/12.5-75			12.5	75					
3DPAM-12.5/10-55	10		12.5	55					
3DPAM-16/10-75			16	75					
3DPAM-16/8-55	8		16	55					
3DPAM-20/8-75			20	75					

型号 Model	进口压力 Suction Pressure Mpa	排出压力 Discharge Pressure Mpa	额定排量 Capacity M3/h	电机功率 Motor Power Kw	外形尺寸 长×宽×高 Measurement L×W×H mm	质量 weight kg			
3DPAMe-5/32-75	0.05 -1.0	32	5	75	2550x 1180x 1250	2900			
3DPAMe-6.3/32-90			6.3	90					
3DPAMe-6.3/25-75		25	6.3	75					
3DPAMe-8/25-90			8	90					
3DPAMe-8/20-75		20	8	75					
3DPAMe-10/20-90			10	90					
3DPAMe-10/16-75		16	19	75					
3DPAMe-12.5/16-90			12.5	90					
3DPAMe-12.5/12.5-75		12.5	12.5	75					
3DPAMe-16/12.5-90			16	90					
3DPAMe-16/10-75		10	16	75					
3DPAMe-20/10-90			29	90					
3DPAMe-20/8-75		8	29	75					
3DPAMe-25/8-90			25	90					
3DPAM-6.3/32-90		0.05 -1.0	32	6.3			90	2650x 1250x 1470	3500
3DPAM-8/32-110				8			110		
3DPAM-8/25-90	25		8	90					
3DPAM-10/25-110			10	110					
3DPAM-10/20-90	20		10	90					
3DPAM-12.5/20-110			12.5	110					
3DPAM-12.5/16-90	16		12.5	90					
3DPAM-16/16-110			16	110					
3DPAM-16/12.5-90	12.5		16	90					
3DPAM-20/12.5-110			20	110					
3DPAM-20/10-90	10		20	90					
3DPAM-25/10-110			25	110					
3DPAM-25/8-90	8		25	90					
3DPAM-32/8-110			32	110					

## 3DPAM/5DPAM 系列注聚泵主要技术参数

型号 Model	进口压力 Suction Pressure Mpa	排出压力 Discharge Pressure Mpa	额定排量 Capacity M3/h	电机功率 Motor Power Kw	外形尺寸 长×宽×高 Measurement L×W×H mm	质量 weight kg			
3DPAMd-8/32-110	0.05 -1.0	32	8	110	3060x 1650x 1550	3850			
3DPAMd-10/32-132			10	132					
3DPAMd-10/25-110		25	10	110					
3DPAMd-12.5/25-132			12.5	132					
3DPAMd-12.5/20-110		20	12.5	110					
3DPAMd-16/20-132			16	132					
3DPAMd-16/16-110		16	16	110					
3DPAMd-20/16-132			20	132					
3DPAMd-20/12.5-110		12.5	20	110					
3DPAMd-25/12.5-132			25	132					
3DPAMd-25/10-110		10	25	110					
3DPAMd-32/10-132			32	132					
3DPAMd-32/8-110		8	32	110					
3DPAMd-40/8-132			40	132					
3DPAMc-12.5/32-160		0.05 -1.0	32	12.5			160	3290x 1500x 1700	4200
3DPAMc-16/32-185				16			185		
3DPAMc-16/25-160	25		16	160					
3DPAMc-20/25-185			20	185					
3DPAMc-20/20-160	20		20	160					
3DPAMc-25/20-185			25	185					
3DPAMc-25/16-160	16		25	160					
3DPAMc-32/16-185			32	185					
3DPAMc-32/12.5-160	12.5		32	160					
3DPAMc-40/12.5-185			40	185					
3DPAMc-40/10-160	10		40	160					
3DPAMc-50/10-185			50	185					
3DPAMc-50/8-160	8		50	160					
3DPAMc-56/8-185			56	185					

型号 Model	进口压力 Suction Pressure Mpa	排出压力 Discharge Pressure Mpa	额定排量 Capacity M3/h	电机功率 Motor Power Kw	外形尺寸 长×宽×高 Measurement L×W×H mm	质量 weight kg			
5DPAM-8/32-110	0.05 -1.0	32	8	110	2980x 1520x 1557	4400			
5DPAM-10/32-132			10	132					
5DPAM-10/25-110		25	10	110					
5DPAM-12.5/25-132			12.5	132					
5DPAM-12.5/20-110		20	12.5	110					
5DPAM-16/20-132			16	132					
5DPAM-16/16-110		16	16	110					
5DPAM-20/16-132			20	132					
5DPAM-20/12.5-110		12.5	20	110					
5DPAM-25/12.5-132			25	132					
5DPAM-25/10-110		10	25	110					
5DPAM-32/10-132			32	132					
5DPAM-32/8-110		8	32	110					
5DPAM-40/8-110			40	110					
5DPAM-10/32-132		0.05 -1.0	32	10			132	2980x 1520x 1557	4750
5DPAM-12.5/32-160				12.5			160		
5DPAM-12.5/25-132	25		12.5	132					
5DPAM-16/25-160			16	160					
5DPAM-16/20-132	20		16	132					
5DPAM-20/20-160			20	160					
5DPAM-20/16-132	16		20	132					
5DPAM-25/16-160			25	160					
5DPAM-25/12.5-132	12.5		25	132					
5DPAM-32/12.5-160			32	160					
5DPAM-32/10-132	10		32	132					
5DPAM-40/10-160			40	160					
5DPAM-40/8-132	8		40	132					
5DPAM-50/8-160			50	160					

## 5DPAM 系列注聚泵主要技术参数

型号 Model	进口压力 Suction Pressure Mpa	排出压力 Discharge Pressure Mpa	额定排量 Capacity M3/h	电机功率 Motor Power Kw	外形尺寸 长×宽×高 Measurement L×W×H mm	质量 weight kg			
5DPAM-12.5/32-160	0.05 -1.0	32	12.5	160	2960x 1755x 1410	5800			
5DPAM-16/32-200			16	200					
5DPAM-16/25-160		25	16	160					
5DPAM-20/25-200			20	200					
5DPAM-20/20-160		20	20	160					
5DPAM-25/20-200			25	200					
5DPAM-25/16-160		16	25	160					
5DPAM-32/16-200			32	200					
5DPAM-32/12.5-160		12.5	32	160					
5DPAM-40/12.5-200			40	200					
5DPAM-40/10-160		10	40	160					
5DPAM-50/10-200			50	200					
5DPAM-50/8-160		8	50	160					
5DPAM-63/8-200			63	200					
5DPAM-16/32-200		0.05 -1.0	32	16			200	3725x 2060x 2250	8500
5DPAM-20/32-250				20			250		
5DPAM-20/25-200	25		20	200					
5DPAM-25/25-250			25	250					
5DPAM-25/20-200	20		25	200					
5DPAM-32/20-250			32	250					
5DPAM-32/16-200	16		32	200					
5DPAM-40/16-250			40	250					
5DPAM-40/12.5-200	12.5		40	200					
5DPAM-50/12.5-250			50	250					
5DPAM-50/10-200	10		50	200					
5DPAM-63/10-250			63	250					
5DPAM-63/8-200	8		63	200					
5DPAM-78/8-250			78	250					

型号 Model	进口压力 Suction Pressure Mpa	排出压力 Discharge Pressure Mpa	额定排量 Capacity M3/h	电机功率 Motor Power Kw	外形尺寸 长×宽×高 Measurement L×W×H mm	质量 weight kg			
5DPAM-20/32-250	0.05 -1.0	32	20	250	3600x 2055x 1795	8700			
5DPAM-25/32-315			25	315					
5DPAM-25/25-250		25	25	250					
5DPAM-32/25-315			32	315					
5DPAM-32/20-250		20	32	250					
5DPAM-40/20-315			40	315					
5DPAM-40/16-250		16	40	250					
5DPAM-50/16-315			50	315					
5DPAM-50/12.5-250		12.5	50	250					
5DPAM-63/12.5-315			63	315					
5DPAM-63/10-250		10	63	250					
5DPAM-78/10-315			78	315					
5DPAM-78/8-250		8	78	250					
5DPAM-98/8-315			98	315					
5DPAM-25/32-315		0.05 -1.0	32	25			315	3600x 2055x 1795	8800
5DPAM-32/32-400				32			400		
5DPAM-32/25-315	25		32	315					
5DPAM-40/25-400			40	400					
5DPAM-40/20-315	20		40	315					
5DPAM-50/20-400			50	400					
5DPAM-50/16-315	16		50	315					
5DPAM-63/16-400			63	400					
5DPAM-63/12.5-315	12.5		63	315					
5DPAM1-78/12.5-400			78	400					
5DPAM-78/10-315	10		78	315					
5DPAM-98/10-400			98	400					
5DPAM-98/8-315	8		98	315					
5DPAM-125/8-400			125	400					